Author Index to Volume 175

Adamowicz, L., see A. Leś 175 (1990) 187
Akimoto, S., see K. Hara 175 (1990) 493
Alejandre, J., M. Lozada-Cassou, E. González-Tovar and G.A. Chapela, Molecular dynamics of a hard-sphere fluid between two walls: a comparison with the three-point extension hypernetted chain approximation 175 (1990) 111
Ángyán, J.G. and G. Jansen, Are direct reaction field methods appropriate for describing dispersion interactions? 175 (1990) 313
Ashworth, S.H., F.J. Grieman and J.M. Brown, Further observations of the 460 nm band system of nickel dichloride, cooled to lower temperatures in a free jet expansion 175 (1990) 660
Åstrand, P.-O. and G. Karlström, A bound HCl^- species: an ab initio quantum-chemical study 175 (1990) 624
Atkinson, G.H., see T. Noguchi 175 (1990) 163
Atkinson, J.B., see W. Kedzierski 175 (1990) 221
Azumi, T., see Q.-X. Meng 175 (1990) 364

Bagryanskaya, E.G., see I.V. Koptyug 175 (1990) 467
Bakale, G. and W.F. Schmidt, Mobility of excess electrons in mixtures of neopentane and tetramethylsilane 175 (1990) 319
Baker, J.D. and M.C. Zerner, Applications of the random phase approximation with the INDO/S Hamiltonian: UV–VIS spectra of free base porphin 175 (1990) 192
Balasubramanian, K., Spectral moments and walks for large carbon cage clusters 175 (1990) 273
Bapat, S.V., see S.R. Gadre 175 (1990) 307
Bara, M., M. Schott and M. Schwoerer, Self-sensitized photopolymerization of a diacetylene single crystal, pTS 175 (1990) 23
Baravian, G., see G. Sultan 175 (1990) 37
Barra, A.L., see A. Dei 175 (1990) 589
Barra, A.L., see A.Yu. Bresgunov 175 (1990) 621
Bashkeev, L.V., see A.S. Plachinda 175 (1990) 101
Basile, A.G., see J. Yang 175 (1990) 105
Bath, A. and E. Tiemann, Hyperfine interaction in the E $\Omega=0^+$ state of CuCl 175 (1990) 84
Bauschlicher Jr., C.W., see H. Partridge 175 (1990) 531
Baylis, W.E., see W. Kedzierski 175 (1990) 221
Beck, S.N., E.A. McCullough Jr. and D. Feller, Ab initio calculations of the ^{13}C magnetic hyperfine parameters in C_2^+ using numerical and Gaussian basis set methods 175 (1990) 629
Belorizky, E., W. Gorecki, M. Jeannin, P.H. Fries, P. Maldivi and E. Gout, Sample-shape dependence of the inhomogeneous NMR line broadening and line shift in diamagnetic liquids 175 (1990) 579
Benedix, R., H. Hennig, H. Kunkely and A. Vogler, Optical ligand-to-ligand charge transfer of Zn(2,2′-bipyridyl)(3,4-toluenedithiolate) 175 (1990) 483
Berezhkovskii, A.M. and Yu.A. Makhnovskii, Mutual influence of traps on the death of a Brownian particle 175 (1990) 499

Author Index to Volume 175

Adamowicz, L., see A. Leś 175 (1990) 187
Akimoto, S., see K. Hara 175 (1990) 493
Alejandre, J., M. Lozada-Cassou, E. González-Tovar and G.A. Chapela, Molecular dynamics of a hard-sphere fluid between two walls: a comparison with the three-point extension hypernetted chain approximation 175 (1990) 111
Ángyán, J.G. and G. Jansen, Are direct reaction field methods appropriate for describing dispersion interactions? 175 (1990) 313
Ashworth, S.H., F.J. Grieman and J.M. Brown, Further observations of the 460 nm band system of nickel dichloride, cooled to lower temperatures in a free jet expansion 175 (1990) 660
Åstrand, P.-O. and G. Karlström, A bound HCl^- species: an ab initio quantum-chemical study 175 (1990) 624
Atkinson, G.H., see T. Noguchi 175 (1990) 163
Atkinson, J.B., see W. Kedzierski 175 (1990) 221
Azumi, T., see Q.-X. Meng 175 (1990) 364

Bagryanskaya, E.G., see I.V. Koptyug 175 (1990) 467
Bakale, G. and W.F. Schmidt, Mobility of excess electrons in mixtures of neopentane and tetramethylsilane 175 (1990) 319
Baker, J.D. and M.C. Zerner, Applications of the random phase approximation with the INDO/S Hamiltonian: UV–VIS spectra of free base porphin 175 (1990) 192
Balasubramanian, K., Spectral moments and walks for large carbon cage clusters 175 (1990) 273
Bapat, S.V., see S.R. Gadre 175 (1990) 307
Bara, M., M. Schott and M. Schwoerer, Self-sensitized photopolymerization of a diacetylene single crystal, pTS 175 (1990) 23
Baravian, G., see G. Sultan 175 (1990) 37
Barra, A.L., see A. Dei 175 (1990) 589
Barra, A.L., see A.Yu. Bresgunov 175 (1990) 621
Bashkeev, L.V., see A.S. Plachinda 175 (1990) 101
Basile, A.G., see J. Yang 175 (1990) 105
Bath, A. and E. Tiemann, Hyperfine interaction in the E $\Omega=0^+$ state of CuCl 175 (1990) 84
Bauschlicher Jr., C.W., see H. Partridge 175 (1990) 531
Baylis, W.E., see W. Kedzierski 175 (1990) 221
Beck, S.N., E.A. McCullough Jr. and D. Feller, Ab initio calculations of the ^{13}C magnetic hyperfine parameters in C_2^+ using numerical and Gaussian basis set methods 175 (1990) 629
Belorizky, E., W. Gorecki, M. Jeannin, P.H. Fries, P. Maldivi and E. Gout, Sample-shape dependence of the inhomogeneous NMR line broadening and line shift in diamagnetic liquids 175 (1990) 579
Benedix, R., H. Hennig, H. Kunkely and A. Vogler, Optical ligand-to-ligand charge transfer of Zn(2,2′-bipyridyl)(3,4-toluenedithiolate) 175 (1990) 483
Berezhkovskii, A.M. and Yu.A. Makhnovskii, Mutual influence of traps on the death of a Brownian particle 175 (1990) 499

Berger, H.F., M. Leisch, A. Winkler and K.D. Rendulic, A search for vibrational contributions to the activated adsorption of H_2 on copper 175 (1990) 425
Bethune, D.S., see G. Meijer 175 (1990) 1
Bich, V.T., R. Bini, P.R. Salvi and G. Marconi, Two-photon spectroscopy of antiaromatic molecules: the case of biphenylene 175 (1990) 413
Bill, H., see E. Minner 175 (1990) 231
Bini, R., see V.T. Bich 175 (1990) 413
Birk, H. and H. Jones, Diode laser measurement of the infrared spectrum of silicon monosulfide 175 (1990) 536
Bishop, D.M., see B. Kirtman 175 (1990) 601
Bittner, J., see A. Lawitzki 175 (1990) 429
Blake, A.J., see J. Wang 175 (1990) 225
Blasse, G., Do metal ions with d^{10} configuration luminesce? 175 (1990) 237
Boada, R.L. and V.V. Karasiov, An approximate local-density expression for the correlation energy of atoms 175 (1990) 641
Bodot, H., see P. Roubin 175 (1990) 655
Bollini, C.G., J.J. Giambiagi and J.S. Helman, Study of wave equations involving iterated Laplacian and potential $r^{-\beta}$ by the $1/N$ method 175 (1990) 130
Bonatsos, D., P.P. Raychev, R.P. Roussev and Yu.F. Smirnov, Description of rotational molecular spectra by the quantum algebra $SU_q(2)$ 175 (1990) 300
Böttcher, R., see R. Heidler 175 (1990) 55
Bouman, T.D. and A.E. Hansen, NMR shielding calculations beyond coupled Hartree–Fock: second-order correlation effects in localized-orbital/local-origin calculations of molecules containing phosphorus 175 (1990) 292
Bowman, J.M., see B. Gazdy 175 (1990) 434
Boyd, J., U. Hommel and I.D. Campbell, Influence of cross-correlation between dipolar and anisotropic chemical shift relaxation mechanisms upon longitudinal relaxation rates of ^{15}N in macromolecules 175 (1990) 477
Bozio, R., see A. Feis 175 (1990) 156
Brédas, J.L., see R. Lazzaroni 175 (1990) 175
Bresgunov, A.Yu., O.G. Poluektov, Ya.S. Lebedev, A.L. Barra, L.C. Brunel and J.B. Robert, Very high field and multifrequency ESR study of a coal sample 175 (1990) 621
Brown, J.M., see S.H. Ashworth 175 (1990) 660
Broyer, M., see Ph. Dugourd 175 (1990) 555
Brunel, L.C., see A. Dei 175 (1990) 589
Brunel, L.C., see A.Yu. Bresgunov 175 (1990) 621
Burland, D.M., see C. Walsh 175 (1990) 197
Burton, K.A., see J.W. Fleming 175 (1990) 395
Busmann, H.-G., see E.E.B. Campbell 175 (1990) 505

Campbell, E.E.B., G. Ulmer, H.-G. Busmann and I.V. Hertel, Stability and fragmentation of carbon clusters 175 (1990) 505
Campbell, I.D., see J. Boyd 175 (1990) 477
Canet, D., P. Tekely, K. Elbayed and F. Humbert, Heteronuclear double cross-polarization (^1H–X; X–^1H) transfer in liquids 175 (1990) 343
Canet, D., see P. Tekely 175 (1990) 401
Carvajal, R.R., see P.-J. Chu 175 (1990) 407

Chambaud, G., see H.-J. Werner 175 (1990) 203
Chambaud, G., see W. Kedzierski 175 (1990) 221
Chapela, G.A., see J. Alejandre 175 (1990) 111
Chasman, D., R.J. Silbey and M. Eisenberg, Massively parallel time-dependent wave-packet calculations in a classically chaotic potential 175 (1990) 633
Chattaraj, P.K., Scattering of a structureless particle from different model Euclidean and non-Euclidean lattices 175 (1990) 613
Chevaleyre, J., see Ph. Dugourd 175 (1990) 555
Chiavassa, T., see P. Roubin 175 (1990) 655
Chong, D.P., Theoretical study of hydrazoic acid and methyl azide 175 (1990) 525
Chow Chiu, L.-Y., Spin-dependent interaction in the excitation transfer between $Xe(^3P_J)$ and $N_2(X\,^1\Sigma_g^+)$ or $CO(X\,^1\Sigma^+)$ 175 (1990) 67
Chu, P.-J., R.R. Carvajal and J.H. Lunsford, Direct NMR spinning sideband analysis for a dipolar coupled system: structure elucidation of a proton–trimethylphosphine complex in LaH-Y zeolites 175 (1990) 407
Clark, D.T., see R. Lazzaroni 175 (1990) 175
Conceicao, J., see C. Jin 175 (1990) 17
Correia, R.R.B., G. Pichler, S.L. Cunha and P. Hering, The role of nuclear spin in inelastic $Na(3p)+H_2$ collisions 175 (1990) 354
Costa, S.M.B., see M.I. Viseu 175 (1990) 43
Coussens, B., see M.T. Nguyen 175 (1990) 593
Couty, M., see W. Kedzierski 175 (1990) 221
Crepeau, R.H., see B.R. Patyal 175 (1990) 445
Crepeau, R.H., see B.R. Patyal 175 (1990) 453
Cunha, S.L., see R.R.B. Correia 175 (1990) 354

Davis, M.J., see R.T. Skodje 175 (1990) 92
De Bleijser, J., see R.H. Tromp 175 (1990) 568
Dei, A., D. Gatteschi, L. Pardi, A.L. Barra and L.C. Brunel, Millimeter band EPR spectra reveal large zero-field splittings in copper(II)–semiquinonato complexes 175 (1990) 589
Delpuech, J.J., see P. Tekely 175 (1990) 401
De M. Carneiro, J.W., see P.R. Seidl 175 (1990) 182
Dinev, S.G. and G.B. Hadjichristov, NaK(D–X) stimulated emission in the visible 175 (1990) 216
Doctorov, A.B., see I.V. Koptyug 175 (1990) 467
Dong, T.-Y., see S.-L. Lee 175 (1990) 170
Dos Santos, M.C., see R. Lazzaroni 175 (1990) 175
Dugourd, Ph., J. Chevaleyre, M. Broyer, J.P. Wolf and L. Wöste, Vibronic structure of the Li_3 ground state 175 (1990) 555
Dupuis, M., see P.R. Seidl 175 (1990) 182

Eisenberg, M., see D. Chasman 175 (1990) 633
Elbayed, K., see D. Canet 175 (1990) 343
Elliott, G.S., K.J. Wu and S.D. Kevan, Time-resolved EELS study of CO_2 desorption from Ag(011) 175 (1990) 371
Elschner, A., see K.A. Littau 175 (1990) 149
Engel, Y.M., see J.C. Lorquet 175 (1990) 461
Erdhuisen, E.W.P., see W.E. Torruellas 175 (1990) 267

Fantucci, P., see C. Gatti 175 (1990) 645
Fayer, M.D., see K.A. Littau 175 (1990) 149
Feautrier, N., see H.-J. Werner 175 (1990) 203
Feis, A., C. Ferrante and R. Bozio, Multiresonance CARS spectra and excitation profiles of dye molecules in liquid solutions: 1,4-dihydroxy-anthraquinone in chloroform 175 (1990) 156
Feller, D., see S.N. Beck 175 (1990) 629
Ferrante, C., see A. Feis 175 (1990) 156
Fleming, J.W., K.A. Burton and H.D. Ladouceur, OH and CH profiles in a 10 Torr methane/oxygen flame: experiment and flame modeling 175 (1990) 395
Fowler, P.W., see M.T. Nguyen 175 (1990) 593
Freed, J.H., see B.R. Patyal 175 (1990) 445
Freed, J.H., see B.R. Patyal 175 (1990) 453
Fries, P.H., see E. Belorizky 175 (1990) 579
Futrell, J., see K. Qian 175 (1990) 51

Gadre, S.R., S.V. Bapat, K. Sundararajan and I.H. Shrivastava, A general parallel algorithm for the generation of molecular electrostatic potential maps 175 (1990) 307
Gamliel, D., see B.R. Patyal 175 (1990) 445
Gamliel, D., see B.R. Patyal 175 (1990) 453
Gatteschi, D., see A. Dei 175 (1990) 589
Gatti, C., S. Polezzo and P. Fantucci, A random phase approximation study of the absorption spectrum of Na_8 175 (1990) 645
Gazdy, B. and J.M. Bowman, Calculations of highly excited vibrational energies of HCN(n_1, 0, n_3): a test of a two-mode model, and comparison with experiment 175 (1990) 434
Giambiagi, J.J., see C.G. Bollini 175 (1990) 130
Golchet, A. and J.M. White, On the mechanism of subsurface hydrogen formation on Ni(111) 175 (1990) 143
González-Tovar, E., see J. Alejandre 175 (1990) 111
Gorecki, W., see E. Belorizky 175 (1990) 579
Gout, E., see E. Belorizky 175 (1990) 579
Gray, C.G., see J. Yang 175 (1990) 105
Green, J.C., N. Kaltsoyannis, K.H. Sze and M.A. MacDonald, An investigation of the electronic structure of osmium tetroxide by photoelectron spectroscopy with variable photon energy 175 (1990) 359
Grieman, F.J., see S.H. Ashworth 175 (1990) 660
Grossmann, G., see G. Klose 175 (1990) 472
Güdel, H.U., Comment on the nature of the light-induced metastable states in nitroprussides 175 (1990) 262
Güdel, H.U., see P.S. May 175 (1990) 488

Hadjichristov, G.B., see S.G. Dinev 175 (1990) 216
Hamaguchi, H., see T. Ishibashi 175 (1990) 543
Hansen, A.E., see T.D. Bouman 175 (1990) 292
Hara, K., S. Akimoto and H. Suzuki, Application of the Kramers equation to the formation of an intramolecular excimer state 175 (1990) 493
Hartke, B., Quantum simulation of femtosecond population control in iodine 175 (1990) 322
Hase, W.L., see L. Zhu 175 (1990) 117
Hayashi, H., see T. Noguchi 175 (1990) 163

Heidler, R., W. Windsch, R. Böttcher and C. Klimm, EPR investigations on Cr^{3+} modified $PhTiO_3$ ceramics 175 (1990) 55
Heinze, J., see J. Schleipen 175 (1990) 561
Helman, J.S., see C.G. Bollini 175 (1990) 130
Hennig, H., see R. Benedix 175 (1990) 483
Hering, P., see R.R.B. Correia 175 (1990) 354
Hertel, I.V., see E.E.B. Campbell 175 (1990) 505
Hiltunen, Y. and J. Jokisaari, ^{1}H, ^{13}C and ^{29}Si NMR of tetramethylsilane in liquid crystals 175 (1990) 585
Hirota, E., see H. Ito 175 (1990) 384
Hohlneicher, G., see P. Swiderek 175 (1990) 667
Hommel, U., see J. Boyd 175 (1990) 477
Horsthuis, W.H.G., see W.E. Torruellas 175 (1990) 267
Humbert, F., see D. Canet 175 (1990) 343
Huzinaga, S. and B. Miguel, A comparison of the geometrical sequence formula and the well-tempered formulas for generating GTO basis orbital exponents 175 (1990) 289

Ikeda, Y., see H. Shimizu 175 (1990) 349
Ishibashi, T. and H. Hamaguchi, Partially coherent anti-Stokes Raman scattering (PCARS) 175 (1990) 543
Ishida, K., Spin and charge densities from the Hiller–Sucher–Feinberg identity: double-perturbation calculations for BeH 175 (1990) 133
Ito, H., E. Hirota and K. Kuchitsu, Laser-induced fluorescence spectroscopy of the $\tilde{A}\,^{1}A''$–$\tilde{X}\,^{1}A'$ transition of HGeCl 175 (1990) 384
Iyer, G., see I. Miyagawa 175 (1990) 441

Jansen, G., see J.G. Ángyán 175 (1990) 313
Jaroszewski, L., B. Lesyng, J.J. Tanner and J.A. McCammon, Ab initio study of proton transfer in $[H_3N\text{–}H\text{–}NH_3]^+$ and $[H_3N\text{–}H\text{–}OH_2]^+$ 175 (1990) 282
Jeannin, M., see E. Belorizky 175 (1990) 579
Jin, C., K.J. Taylor, J. Conceicao and R.E. Smalley, Ultraviolet photoelectron spectra of gallium arsenide clusters 175 (1990) 17
Jokisaari, J., see Y. Hiltunen 175 (1990) 585
Jolly, J., see G. Sultan 175 (1990) 37
Jones, H., see H. Birk 175 (1990) 536

Kajzar, F., see W.E. Torruellas 175 (1990) 11
Kaltsoyannis, N., see J.C. Green 175 (1990) 359
Kappes, M.M., see S. Pollack 175 (1990) 209
Karasiov, V.V., see R.L. Boada 175 (1990) 641
Karlström, G., see P.-O. Åstrand 175 (1990) 624
Kedzierski, W., J. Supronowicz, J.B. Atkinson, W.E. Baylis, L. Krause, M. Couty and G. Chambaud, Laser spectroscopy of the $^{1}\Sigma_u^+(4\,^{1}P)$ and $^{3}\Pi_u(4\,^{3}P)$ states in Zn_2 175 (1990) 221
Kevan, S.D., see G.S. Elliott 175 (1990) 371
Khromov, V.I., see A.S. Plachinda 175 (1990) 101
Kim, S.K., see D.J. Lee 175 (1990) 87
Kirtman, B. and D.M. Bishop, Evaluation of vibrational hyperpolarizabilities 175 (1990) 601
Klimm, C., see R. Heidler 175 (1990) 55
Klose, G., A. Möps, G. Grossmann and L. Trahms, ^{31}P chemical shift anisotropy in phosphonic acid diesters and related compounds 175 (1990) 472

Knowles, P.J., see J. Senekowitsch 175 (1990) 548
Kobayashi, T., see S. Nomura 175 (1990) 389
Kohse-Höinghaus, K., see A. Lawitzki 175 (1990) 429
Koptyug, I.V., N.N. Lukzen, E.G. Bagryanskaya and A.B. Doctorov, The influence of the singlet radical-pair decay rate on RYDMR and SNP spectra, and the mean RP lifetime 175 (1990) 467
Krause, L., see W. Kedzierski 175 (1990) 221
Krishnan, R., see S. Singh 175 (1990) 338
Kuchitsu, K., see H. Ito 175 (1990) 384
Kumar, S. and N. Sathyamurthy, Fractals in rotationally inelastic (FH, Li) collisions 175 (1990) 616
Kunkely, H., see R. Benedix 175 (1990) 483
Kuppermann, A., see Z. Peng 175 (1990) 242
Kuzmin, V.A., see P.P. Levin 175 (1990) 74

Ladouceur, H.D., see J.W. Fleming 175 (1990) 395
Langhoff, S.R., see H. Partridge 175 (1990) 531
Lawitzki, A., J. Bittner and K. Kohse-Höinghaus, Determination of N-atom concentrations in low-pressure premixed $H_2/O_2/N_2$ flames doped with NH_3, HCN and $(CN)_2$ 175 (1990) 429
Lazzaroni, R., N. Sato, W.R. Salaneck, M.C. Dos Santos, J.L. Brédas, B. Tooze and D.T. Clark, Electronic structure of poly(ether–ether–ketone), PEEK 175 (1990) 175
Lebedev, Ya.S., see A.Yu. Bresgunov 175 (1990) 621
Leclerc, M., see W.E. Torruellas 175 (1990) 11
Ledoux, I., see J.-F. Nicoud 175 (1990) 257
Lee, D.J., K.J. Shin and S.K. Kim, The SO(2,1) dynamic-group approach to the rotation–vibration spectra of diatomic molecules 175 (1990) 87
Lee, S.-L., F.-Y. Li and T.-Y. Dong, Effect of structural modifications on electron delocalization of mixed-valence biferrocenium systems 175 (1990) 170
Leisch, M., see H.F. Berger 175 (1990) 425
Lenin, L.V. and L.Yu. Rusin, Ionic dissociation of CsBr induced by collisions with Hg: trajectory simulation 175 (1990) 608
Leś, A. and L. Adamowicz, Theoretical study of simple electron transfer reactions involving oxo radicals and anions 175 (1990) 187
Lesyng, B., see L. Jaroszewski 175 (1990) 282
Levin, P.P., Ya.N. Malkin and V.A. Kuzmin, Laser flash photolysis study of ketone–phenol–cyclodextrin inclusion complexes. Geminate recombination kinetics of triplet radical pairs 175 (1990) 74
Levine, R.D., The steric factor in transition state theory and in collision theory 175 (1990) 331
Levine, R.D., see J.C. Lorquet 175 (1990) 461
Leyte, J.C., see R.H. Tromp 175 (1990) 568
Li, F.-Y., see S.-L. Lee 175 (1990) 170
Littau, K.A., A. Elschner and M.D. Fayer, Thermal history and temperature-dependent photon echo and hole burning linewidths in low temperature glycerol glasses 175 (1990) 149
Lopez-Navarrete, J.T. and G. Zerbi, On the stability of doped conducting polymers: electrostatic contributions and sterical effects 175 (1990) 125
Lorquet, J.C., Y.M. Engel and R.D. Levine, On the separation of time scales in the exploration of phase space of an isolated molecule 175 (1990) 461
Lozada-Cassou, M., see J. Alejandre 175 (1990) 111
Lukzen, N.N., see I.V. Koptyug 175 (1990) 467

Lunsford, J.H., see P.-J. Chu 175 (1990) 407
Lushnikov, A.A., A.E. Negin and A.V. Pakhomov, Experimental observation of the aerosol–aerogel transition 175 (1990) 138

MacDonald, M.A., see J.C. Green 175 (1990) 359
Majid, F.B., see I. Miyagawa 175 (1990) 441
Makhnovskii, Yu.A., see A.M. Berezhkovskii 175 (1990) 499
Maldivi, P., see E. Belorizky 175 (1990) 579
Malkin, Ya.N., see P.P. Levin 175 (1990) 74
Marconi, G., see V.T. Bich 175 (1990) 413
Maricq, M.M., A method for computing potential matrix elements for scattering calculations via the spectral theorem 175 (1990) 249
Marques, M.B., see W.E. Torruellas 175 (1990) 267
Matsuda, H., see S. Nomura 175 (1990) 389
May, P.S. and H.U. Güdel, A previously unobserved luminescence of Ni^{2+} in $Ni^{2+}:KMgF_3$ and $Ni^{2+}:KZnF_3$ 175 (1990) 488
McCammon, J.A., see L. Jaroszewski 175 (1990) 282
McCoy, D.G., see J. Wang 175 (1990) 225
McCullough Jr., E.A., see S.N. Beck 175 (1990) 629
Meijer, G. and D.S. Bethune, Mass spectroscopic confirmation of the presence of C_{60} in laboratory-produced carbon dust 175 (1990) 1
Meng, Q.-X., K. Suzuki, M. Terazima and T. Azumi, Study of the linewidth of the CIDNP-detected ESR spectrum 175 (1990) 364
Michaud, M., see P. Swiderek 175 (1990) 667
Miguel, B., see S. Huzinaga 175 (1990) 289
Miller, R.D., see C. Walsh 175 (1990) 197
Minner, E. and H. Bill, EPR and optical investigation of thermaily treated NaF:Cu single crystals 175 (1990) 231
Mittal, J.P., see P.D. Naik 175 (1990) 59
Miyagawa, I., G. Iyer and F.B. Majid, Linewidth of the ESR modulation spectrum 175 (1990) 441
Möhlmann, G.R., see W.E. Torruellas 175 (1990) 267
Montigny, F., see P. Tekely 175 (1990) 401
Möps, A., see G. Klose 175 (1990) 472
Morokuma, K., see S. Yabushita 175 (1990) 518

Naik, P.D., K.V.S. Ramarao and J.P. Mittal, IR-laser-induced reaction at catalytic surface: dehydrochlorination of 1,2-dichloroethane at a $BaSO_4$ surface 175 (1990) 59
Nakanishi, H., see S. Nomura 175 (1990) 389
Negin, A.E., see A.A. Lushnikov 175 (1990) 138
Neher, D., see W.E. Torruellas 175 (1990) 11
Nemes, L., see J. Schleipen 175 (1990) 561
Neusser, H.J., see Th. Weber 175 (1990) 79
Nguyen, M.T., B. Coussens, L.G. Vanquickenborne and P.W. Fowler, Contrasting behaviour of hydrogen fluoride and hydrogen chloride in the formation of weak complexes with methane 175 (1990) 593
Ni, X., see H. Wang 175 (1990) 327
Nickel, B.G., see J. Yang 175 (1990) 105

Nicoud, J.-F., C. Serbutoviez, G. Puccetti, I. Ledoux and J. Zyss, Hyperpolarizability of new nitro-aromatic-N-oxide species: nonlinear optical properties of a ferromagnetic organic material 175 (1990) 257
Nishimura, Y., see H. Sekiya 175 (1990) 6
Noguchi, T., H. Hayashi, M. Tasumi and G.H. Atkinson, Frequencies of the Franck–Condon active a_g C=C stretching mode in the $2^1a_g^-$ excited state of carotenoids 175 (1990) 163
Nomura, S., T. Kobayashi, H. Matsuda, S. Okada, H. Nakanishi and H. Tomiyama, Electric-field dependence of absorption spectra of polymer ion–hemicyanine dye complexes 175 (1990) 389

Okada, S., see S. Nomura 175 (1990) 389
ONeil, S.V., see J. Senekowitsch 175 (1990) 548

Pakhomov, A.V., see A.A. Lushnikov 175 (1990) 138
Pardi, L., see A. Dei 175 (1990) 589
Partridge, H., C.W. Bauschlicher Jr. and S.R. Langhoff, Theoretical study of the positive ions of the dimers and trimers of the group IB metals (Cu, Ag, and Au) 175 (1990) 531
Patyal, B.R., R.H. Crepeau, D. Gamliel and J.H. Freed, Two-dimensional Fourier transform ESR in the slow-motional and rigid limits: SECSY-ESR 175 (1990) 445
Patyal, B.R., R.H. Crepeau, D. Gamliel and J.H. Freed, Two-dimensional Fourier transform ESR in the slow-motional and rigid limits: 2D-ELDOR 175 (1990) 453
Peng, Z., A. Kuppermann and J.S. Wright, Excited electronic potential energy surfaces and transition moments for the H_3 system 175 (1990) 242
Peyerimhoff, S.D., see A.B. Sannigrahi 175 (1990) 279
Pichler, G., see R.R.B. Correia 175 (1990) 354
Pizzala, L., see P. Roubin 175 (1990) 655
Plachinda, A.S., V.E. Sedov, V.I. Khromov, L.V. Bashkeev and I.P. Suzdalev, Bound diffusion of ultrafine particles in a generalized potential: a Mössbauer study 175 (1990) 101
Polezzo, S., see C. Gatti 175 (1990) 645
Poll, J.D., see J. Yang 175 (1990) 105
Pollack, S., C.R.C. Wang and M.M. Kappes, On the optical absorption spectrum of Na_2Cl 175 (1990) 209
Poluektov, O.G., see A.Yu. Bresgunov 175 (1990) 621
Pratt, D.W., see J.L. Tomer 175 (1990) 30
Puccetti, G., see J.-F. Nicoud 175 (1990) 257

Qian, K., A. Shukla and J. Futrell, Collision-induced dissociation dynamics of the acetone cation: intraconversiuon of translational and electronic energy 175 (1990) 51

Ramarao, K.V.S., see P.D. Naik 175 (1990) 59
Raychev, P.P., see D. Bonatsos 175 (1990) 300
Rendulic, K.D., see H.F. Berger 175 (1990) 425
Riedle, E., see Th. Weber 175 (1990) 79
Robert, J.B., see A.Yu. Bresgunov 175 (1990) 621
Robinson, G.W., see S. Singh 175 (1990) 338
Rosmus, P., see H.-J. Werner 175 (1990) 203
Roubin, P., T. Chiavassa, P. Verlaque, L. Pizzala and H. Bodot, FT-IR study of UV-induced isomerization of intramolecularly hydrogen-bonded carbonyl compounds isolated in xenon matrices 175 (1990) 655
Roussev, R.P., see D. Bonatsos 175 (1990) 300

Rusin, L.Yu., see L.V. Lenin 175 (1990) 608

Salaneck, W.R., see R. Lazzaroni 175 (1990) 175
Salvi, P.R., see V.T. Bich 175 (1990) 413
Sanche, L., see P. Swiderek 175 (1990) 667
Sannigrahi, A.B. and S.D. Peyerimhoff, Ab initio study of the electronic structure and spectrum of the S_2N^- ion 175 (1990) 279
Sasaki, S., see H. Shimizu 175 (1990) 349
Sathyamurthy, N., see S. Kumar 175 (1990) 616
Sato, N., see R. Lazzaroni 175 (1990) 175
Schlag, E.W., see Th. Weber 175 (1990) 79
Schleipen, J., L. Nemes, J. Heinze and J.J. ter Meulen, High resolution electronic spectroscopy on the OH–Ar van der Waals complex 175 (1990) 561
Schmalz, T.G., The magnetic susceptibility of Buckminsterfullerene 175 (1990) 3
Schmidt, W.F., see G. Bakale 175 (1990) 319
Schott, M., see M. Bara 175 (1990) 23
Schwarz, H., see R. Srinivas 175 (1990) 575
Schwoerer, M., see M. Bara 175 (1990) 23
Sedov, V.E., see A.S. Plachinda 175 (1990) 101
Seidl, P.R., J.W. de M. Carneiro, J.G.R. Tostes, C.A. Taft and M. Dupuis, Ab initio charge distribution in tetracyclic norbornyl derivatives 175 (1990) 182
Sekiya, H. and Y. Nishimura, Branching fractions for CCl(X) in the dissociative energy transfer reactions of $Ar(^3P_{2,0})$ with chloromethanes 175 (1990) 6
Senekowitsch, J., S.V. O'Neil, H.-J. Werner and P.J. Knowles, Low-lying electronic states of PH^{2+} 175 (1990) 548
Sepioł, J., Stimulated-emission pumping (SEP) as a tool for studying the reversibility of the excited-state proton-transfer reaction of "double" benzoxazoles: 2,5-bis(2-benzoxazolyl)hydroquinone and 2,5-bis(2-benzoxazolyl)-4-methoxyphenol 175 (1990) 419
Serbutoviez, C., see J.-F. Nicoud 175 (1990) 257
Shimizu, H., Y. Ikeda and S. Sasaki, High-pressure Raman study of liquid and crystalline carbonyl sulfide 175 (1990) 349
Shin, K.J., see D.J. Lee 175 (1990) 87
Shrivastava, I.H., see S.R. Gadre 175 (1990) 307
Shukla, A., see K. Qian 175 (1990) 51
Silbey, R.J., see D. Chasman 175 (1990) 633
Singh, S., R. Krishnan and G.W. Robinson, Theory of activated rate processes with space-dependent friction 175 (1990) 338
Skodje, R.T. and M.J. Davis, Statistical rate theory for transient chemical species: classical lifetimes from periodic orbits 175 (1990) 92
Smalley, R.E., see C. Jin 175 (1990) 17
Smirnov, Yu.F., see D. Bonatsos 175 (1990) 300
Smith, A.M., see Th. Weber 175 (1990) 79
Spielfiedel, A., see H.-J. Werner 175 (1990) 203
Srinivas, R., D. Sülzle and H. Schwarz, Gas-phase generation and structural characterization of $SiC_2H^{\cdot}$ and SiC_2H^+ by neutralization-reionization mass spectrometry: evidence for the existence of silicon acetylide ($HC{\equiv}CSi^{\cdot}$) and its cation $HC{\equiv}CSi^+$ 175 (1990) 575
Stegeman, G.I., see W.E. Torruellas 175 (1990) 11

Stegeman, G.I., see W.E. Torruellas 175 (1990) 267
Sultan, G., G. Baravian and J. Jolly, Resonant three-photon ionization and two-photon laser-induced fluorescence of atomic oxygen in a discharge and post-discharge 175 (1990) 37
Sülzle, D., see R. Srinivas 175 (1990) 575
Sundararajan, K., see S.R. Gadre 175 (1990) 307
Supronowicz, J., see W. Kedzierski 175 (1990) 221
Suzdalev, I.P., see A.S. Plachinda 175 (1990) 101
Suzuki, H., see K. Hara 175 (1990) 493
Suzuki, K., see Q.-X. Meng 175 (1990) 364
Swiderek, P., M. Michaud, G. Hohlneicher and L. Sanche, Electron energy loss spectroscopy of solid naphthalene and acenaphthene: search for the low-lying triplet states 175 (1990) 667
Sze, K.H., see J.C. Green 175 (1990) 359

Taft, C.A., see P.R. Seidl 175 (1990) 182
Tang, K.T. and J.P. Toennies, On the contribution of the polarization energy to the chemical bond in H_2 175 (1990) 511
Tanner, J.J., see L. Jaroszewski 175 (1990) 282
Tasumi, M., see T. Noguchi 175 (1990) 163
Taylor, K.J., see C. Jin 175 (1990) 17
Tekely, P., see D. Canet 175 (1990) 343
Tekely, P., F. Montigny, D. Canet and J.J. Delpuech, High-resolution dipolar NMR spectra in rotating solids from depolarization of the rare spin magnetization 175 (1990) 401
Terazima, M., see Q.-X. Meng 175 (1990) 364
Ter Meulen, J.J., see J. Schleipen 175 (1990) 561
Tiemann, E., see A. Bath 175 (1990) 84
Toennies, J.P., see K.T. Tang 175 (1990) 511
Tomer, J.L., S. Yamauchi and D.W. Pratt, Methyl torsional barriers in the S_0, T_1, and S_1 electronic states of 2-methylpyrazine 175 (1990) 30
Tomiyama, H., see S. Nomura 175 (1990) 389
Tooze, B., see R. Lazzaroni 175 (1990) 175
Torop, L., see J. Wang 175 (1990) 225
Torruellas, W.E., D. Neher, R. Zanoni, G.I. Stegeman, F. Kajzar and M. Leclerc, Dispersion measurements of the third-order nonlinear susceptibility of polythiophene thin films 175 (1990) 11
Torruellas, W.E., R. Zanoni, M.B. Marques, G.I. Stegeman, G.R. Möhlmann, E.W.P. Erdhuisen and W.H.G. Horsthuis, Measurement of third-order nonlinearities of side-chain-substituted polymers 175 (1990) 267
Tostes, J.G.R., see P.R. Seidl 175 (1990) 182
Trahms, L., see G. Klose 175 (1990) 472
Tromp, R.H., J. de Bleijser and J.C. Leyte, Nuclear magnetic dynamic shift in an isotropic system 175 (1990) 568

Ulmer, G., see E.E.B. Campbell 175 (1990) 505

Vallée, F., Time-resolved non-linear spectroscopy of local/non-local biphonon interaction in NH_4Cl 175 (1990) 377
Vanquickenborne, L.G., see M.T. Nguyen 175 (1990) 593
Verlaque, P., see P. Roubin 175 (1990) 655

Viseu, M.I. and S.M.B. Costa, Evaluation of partition coefficients in micelles from combined steady-state and time-resolved fluorescence-quenching data 175 (1990) 43
Vogler, A., see R. Benedix 175 (1990) 483

Walsh, C., D.M. Burland and R.D. Miller, A simple model of the low temperature excitation spectra of poly(di-*n*-hexylsilane) 175 (1990) 197
Wang, C.R.C., see S. Pollack 175 (1990) 209
Wang, H. and X. Ni, Energy perturbation method in Monte Carlo simulation 175 (1990) 327
Wang, J., A.J. Blake, D.G. McCoy and L. Torop, Analytical potential curves for the $X\,^1\Sigma^+$ and 0^+ states of NaI 175 (1990) 225
Weber, Th., A.M. Smith, E. Riedle, H.J. Neusser and E.W. Schlag, High-resolution UV spectrum of the benzene–N_2 van der Waals complex 175 (1990) 79
Werner, H.-J., A. Spielfiedel, N. Feautrier, G. Chambaud and P. Rosmus, On the Rathenau bands in the absorption spectrum of CO_2 175 (1990) 203
Werner, H.-J., see J. Senekowitsch 175 (1990) 548
White, J.M., see A. Golchet 175 (1990) 143
Windsch, W., see R. Heidler 175 (1990) 55
Winkler, A., see H.F. Berger 175 (1990) 425
Wolf, J.P., see Ph. Dugourd 175 (1990) 555
Wöste, L., see Ph. Dugourd 175 (1990) 555
Wright, J.S., see Z. Peng 175 (1990) 242
Wu, K.J., see G.S. Elliott 175 (1990) 371

Yabushita, S. and K. Morokuma, Ab initio potential energy surfaces for rotational excitation of CN product in the A-band photodissociation of ICN 175 (1990) 518
Yamauchi, S., see J.L. Tomer 175 (1990) 30
Yang, J., C.G. Gray, B.G. Nickel, J.D. Poll and A.G. Basile, Calculation of high-frequency spectral wings by solution of the Schrödinger equation in the complex plane 175 (1990) 105

Zanoni, R., see W.E. Torruellas 175 (1990) 11
Zanoni, R., see W.E. Torruellas 175 (1990) 267
Zerbi, G., see J.T. Lopez-Navarrete 175 (1990) 125
Zerner, M.C., see J.D. Baker 175 (1990) 192
Zhu, L. and W.L. Hase, Comparison of models for calculating the RRKM unimolecular rate constant $k(E, J)$ 175 (1990) 117
Zyss, J., see J.-F. Nicoud 175 (1990) 257

Instructions to Authors

Letters are intended as brief reports of significant, original and timely research results in the field of chemical physics which warrant rapid publication. In considering the suitability of a manuscript for publication, the editors pay particular attention to the originality of the research, the desirability of speedy publication, and the validity of the conclusions.

Submission: Contributions, written in English, should be sent to one of the editors or, preferably, to a member of the advisory editorial board who is familiar with the research reported who will transmit the manuscript with recommendations to the editors. All manuscripts should be submitted in triplicate, of which one is a clear copy with master figures (see below).
The full addresses of the members of the Advisory Editorial Board will be found at the beginning of every volume.

Refereeing: All contributions submitted will be refereed. The editors reserve the right to reject manuscripts and to edit contributions when necessary.

Comments section: The editors welcome comments on Letters published in the Journal or elsewhere. They will be placed in a separate section. Comments will be refereed as usual and treated as normal contributions. All Comments should have an abstract.

Publication speed: The editors and publishers cooperate closely to ensure minimal publication delays. All proof-reading will be done by the publishers and proofs are not sent to the author(s). If the manuscript submitted cannot be processed immediately because scientific revisions are required or because of the author's failure to meet the length and stylistic requirements (see below), the delay thus resulting will be indicated by the addition of the date of receipt of the manuscript *in final form.*

Publication scheme: Chemical Physics Letters will be published weekly.

Page charge and reprints: There is no page charge. Reprints may be ordered from the publisher; an order form is sent to contributors upon acceptance of their Letter.

Copyright transfer: Upon acceptance of an article, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Correspondence: All correspondence with the editors or publishers should contain full reference to the paper concerned, i.e. the names of all the authors, the full title, as well as the date of submission. Once the contribution has been accepted for publication, all further correspondence should be sent directly to the publishers and not to the editors (Drs. W. van der Meer, Editorial Department, North-Holland, P.O. Box 103, 1000 AC Amsterdam, The Netherlands; telephone number (020)-5862629 or 31-20-5862629 for international access, FAX (020)-5862580 or 31-20-5862580 for international access, telex number 10704 espom nl, electronic mail: Dialcom/Tgold/Memocom System 27:ESX 010; X400: C=NL; A=400NET; P=SURF; O=ELSEVIER; S=NHPDESKED or RFC822: NHPDESKED@ELSEVIER.NL).

Preparation of manuscripts: The following are the stylistic requirements for an acceptable manuscript.

(1) *Title*: The title should be brief (normally less than 20 words) and yet convey to the informed reader the nature of the contents of the paper.

(2) *Address*: The name(s) of the author(s) and the name and address of the institute where the research work was done should be indicated on the manuscript. The name of the author to whom correspondence is to be addressed should be underlined.

(3) *Abstract*: An abstract of length not to exceed 100 words is required. It should contain the keywords of the paper as well as the essence of the results.

(4) *Length*: Manuscripts should normally not exceed the equivalent of 2500 words including tables, plus references and figure captions, and no more than five figures. They should be typed double-spaced with a wide margin. All pages should be numbered.

(5) *Symbols and Units*: The use of SI units is strongly recommended. Authors will find the "green book" – Quantities, units and symbols in physical chemistry, prepared by I. Mills, T. Cvitas, K. Homann, N. Kallay and K. Kuchitsu (Blackwell Scientific Publications, for IUPAC, Oxford, 1988) – a useful guide.

(6) *Figures*: The drawings for the figures should be of high contrast and carefully lettered and submitted on separate sheets. The lettering as well as the essential details should have proportionate dimensions so as to be legible after the usual reduction by the printers (ideal lettering size after reduction of the drawing to one-column width is 1.8 mm). The drawings should preferably be of the same size as the typescript and designed for a reduction factor in print of two or three. Each drawing should have a figure number and a caption; the captions should be collected on a separate sheet. The appropriate place of each figure in the text should be indicated in the margin.

(7) *Colour illustrations*: Illustrations in colour will be accepted where the use of colours is essential for the presentation. The decision on this rests with the Editor. The Publisher and the Author will each bear part of the extra costs involved. These arise from (a) the need to prepare colour-separated printing films by means of scanning the original colour figures (figure processing costs), and (b) the need to print four colours (printing costs). The figure processing costs are typically on a per figure basis. Printing costs are independent of the number of colour illustrations per page, but are dependent on the number of pages containing colour figures. Authors will be billed in Dutch Guilders (Dfl.) according to the following rates: printing costs are Dfl. 1200 for the first page and Dfl. 200 for additional pages; figure processing costs are Dfl. 200 per figure. Where combined scanning can be used, the cost is reduced by 15% (if two figures are combined) up to more than 50% (if eight figures are combined). For computer colour prints involving no more than four colours and no differentiation of shades, no figure processing costs will be charged if colour-separated originals are submitted. On each such original, register marks must be clearly indicated so as to ensure exact positioning of each colour when printing. Colour illustrations should be submitted as original colour photographs, transparencies, or 35 mm slides. Polaroid colour prints are not suitable. Please submit colour photographs and transparencies close to the size expected in publication. The author receives 200 reprints with colour illustrations free of charge. More reprints can be ordered at the usual rates and there will be no additional charge for reprints containing colour illustrations.

(8) *Formulae*: Displayed formulae should be numbered and typed or clearly and unambiguously written by hand. Symbols requiring bold-face type, like vectors, etc., should be identified properly in the margin of the manuscript. Long equations should be avoided as much as possible by introduction of suitable abbreviations of component expressions. Special attention should be paid to symbols that can easily be misread, such as i (lower case), I (cap.), l (el), 1 (one), ′ (prime), o (lower case), O (cap.), 0 (zero), ° (degree), u, v (vee), ν (Greek nu), V (cap.), x, $\times$, X, z, Z, p, P, ρ (Greek rho), etc.

(9) *Tables*: Tables should be typed on separate sheets and each table should have a number and a title. The appropriate places for the insertion of the tables should be indicated in the margin.

(10) *References*: In the text, reference to other parts of the paper should be made by section (or equation) number, not by page number. References to other papers should be consecutively numbered in the text and should be listed numerically on a separate sheet at the end of the paper. The references should be as complete as possible and be presented as follows:

For a book:

A. Messiah, Quantum mechanics, Vol. 2 (North-Holland, Amsterdam, 1970).

For a paper in a journal:

I. Kaplan and J. Jortner, Chem. Phys. 32 (1978) 381.

For a paper in a contributed volume:

G.L. Hofacker, Y. Maréchal and M. Ratner, in: The hydrogen bond, Vol. 1, eds. P. Schuster, G. Zundel and C. Sandorfy (North-Holland, Amsterdam, 1976) p. 295.

For an unpublished paper:

R.L. Swofford, Ph.D. Thesis, University of California, Berkeley (1973) p. 76.

(11) *Footnotes*: Footnotes should normally have no extensive use of mathematical symbols. They should be placed in the text where required and used sparingly.